

# **FORMA 1000 SINGLE-SIDED**

# WITH FLA3 790 AUTOMATIC ETHANOL BURNER

Net Zero fireplace with the BEV Technology®

#### **BEST BUILD QUALITY**

The product passed extensive tests carried out by the leading certification institutes. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.

#### TRUE ZERO CLEARANCE

The feature that allows you install the fireplace in a housing construction made of combustible materials.

#### SINGLE-SIDED FIREPLACE

The classic fireplace design that delivers the most elegant and framed view of the flame.

#### PROTECTIVE DEFLECTOR

With the attached deflector you can cover the fireplace housing with combustible materials.

### INTEGRATED CONTROL PANEL

The FLA3 burner has an intuitive control panel and an inlet for automatic refuelling.

## **AUTOMATIC FLA3 BURNER**

The automatic burner with the patented BEV Technology® is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is produced by combusting ethanol vapors and has no direct contact with the liquid fuel.

## **REMOTE CONTROL**

Control the fire with the included remote, app on your smartphone or home automation system.

### TECHNICAL GLASS PANEL

The dedictaed toughened glass plate covers the flame making it stable and even.

All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof, Planika Sp. z o.o., its affiliates, ogents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. This document does not expand or otherwise modify Planika Sp. z o.o. 's terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o. 'c sproducts not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.



# Forma 1000 Single-Sided

Burner model FLA3 790mm (BEV Technology®)  Fuel tank capacity 4.3 L  Maximum burn time 9 hours  Maximum heat output 4.4 kW  Minimum room cubature 44 m³  Flame height regulation 6 stages  Weight 65.2 kg  Fuel type bioethanol 95 - 96,6%  Flue not required  Air change rate 1 space volume per hour  Power supply 230 V  Finish black powder coating  Materials  Application for indoor use only		
Maximum burn time       9 hours         Maximum heat output       4.4 kW         Minimum room cubature       44 m³         Flame height regulation       6 stages         Weight       65.2 kg         Fuel type       bioethanol 95 - 96,6%         Flue       not required         Air change rate       1 space volume per hour         Power supply       230 V         Finish       black powder coating         Materials       steel, galvanized steel, toughened glass	Burner model	FLA3 790mm (BEV Technology®)
Maximum heat output       4.4 kW         Minimum room cubature       44 m³         Flame height regulation       6 stages         Weight       65.2 kg         Fuel type       bioethanol 95 - 96,6%         Flue       not required         Air change rate       1 space volume per hour         Power supply       230 V         Finish       black powder coating         Materials       steel, galvanized steel, toughened glass	Fuel tank capacity	4.3 L
Minimum room cubature 44 m³  Flame height regulation 6 stages  Weight 65.2 kg  Fuel type bioethanol 95 - 96,6%  Flue not required  Air change rate 1 space volume per hour  Power supply 230 V  Finish black powder coating  Materials steel, galvanized steel, toughened glass	Maximum burn time	9 hours
Flame height regulation 6 stages  Weight 65.2 kg  Fuel type bioethanol 95 - 96,6%  Flue not required  Air change rate 1 space volume per hour  Power supply 230 V  Finish black powder coating  Materials steel, galvanized steel, toughened glass	Maximum heat output	4.4 kW
Weight 65.2 kg  Fuel type bioethanol 95 - 96,6%  Flue not required  Air change rate 1 space volume per hour  Power supply 230 V  Finish black powder coating  Materials steel, galvanized steel, toughened glass	Minimum room cubature	44 m³
Fuel type bioethanol 95 - 96,6%  Flue not required  Air change rate 1 space volume per hour  Power supply 230 V  Finish black powder coating  Materials steel, galvanized steel, toughened glass	Flame height regulation	6 stages
Flue not required  Air change rate 1 space volume per hour  Power supply 230 V  Finish black powder coating  Materials steel, galvanized steel, toughened glass	Weight	65.2 kg
Air change rate  1 space volume per hour  Power supply  230 V  Finish  black powder coating  Materials  steel, galvanized steel, toughened glass	Fuel type	bioethanol 95 - 96,6%
Power supply 230 V  Finish black powder coating  Materials steel, galvanized steel, toughened glass	Flue	not required
Finish black powder coating  Materials steel, galvanized steel, toughened glass	Air change rate	1 space volume per hour
Materials steel, galvanized steel, toughened glass	Power supply	230 V
	Finish	black powder coating
Application for indoor use only	Materials	steel, galvanized steel, toughened glass
	Application	for indoor use only

#### **CONTROL OPTIONS**







included

included optional

#### 'FLA3 NET-ZERO' APP








optional tray with 1 ceramic log (installed on the top of the burner, behind the fire line)

O-TL certified



#### Manufactured to UL standards



All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. disclaims any and all liability arising out of the application or use of any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o. carried by this document or by any conduct of Planika Sp. z o.o. carried by this document or by any conduct of Planika Sp. z o.o. carried by this document or by any conduct of Planika Sp. z o.o. carried by this document or by any conduct of Planika Sp. z o.o. carried by this document or by any conduct of Planika Sp. z o.o. carried by this document or by any conduct of Planika Sp. z o.o. carried by this document or by any conduct of Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.



# **FORMA 1000 LEFT CORNER**

# WITH FLA3 790 AUTOMATIC ETHANOL BURNER

Net Zero fireplace with the BEV Technology®

## BEST BUILD QUALITY

### LEFT CORNER FIREPLACE

A fireplace with two open sides for even more visible flames. Installed in the end of the wall, it creates the natural draw into the room.

#### PROTECTIVE DEFLECTOR

With the attached deflector you can cover the fireplace housing with combustible materials.

The product passed extensive tests carried out by the leading certification institutes. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.

#### TRUE ZERO CLEARANCE

The feature that allows you install the fireplace in a housing construction made of combustible materials.

## INTEGRATED CONTROL PANEL

The FLA3 burner has an intuitive control panel and an inlet for automatic refuelling.

## **AUTOMATIC FLA3 BURNER**

The automatic burner with the patented BEV Technology® is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is produced by combusting ethanol vapors and has no direct contact with the liquid fuel.

## **REMOTE CONTROL**

Control the fire with the included remote, app on your smartphone or home automation system.

#### **TECHNICAL GLASS PANEL**

The dedictaed toughened glass plate covers the flame making it stable and even.

All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inoccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. disclaims any and all liability arising out of the application or use of any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o. Customers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.



# Forma 1000 Left Corner

Burner model	FLA3 790mm (BEV Technology®)
Fuel tank capacity	4.3 L
Maximum burn time	9 hours
Maximum heat output	4.4 kW
Minimum room cubature	44 m³
Flame height regulation	6 stages
Weight	62.8 kg
Fuel type	bioethanol 95 - 96,6%
Flue	not required
Air change rate	1 space volume per hour
Power supply	230 V
Finish	black powder coating
Materials	steel, galvanized steel, toughened glass
Application	for indoor use only

#### **CONTROL OPTIONS**







included


optional

#### 'FLA3 NET-ZERO' APP

Control the fire with your smartphone!








optional tray with 1 ceramic log (installed on the top of the burner, behind the fire line)

O-TL certified



Manufactured to UL standards





# **FORMA 1000 RIGHT CORNER**

# WITH FLA3 790 AUTOMATIC ETHANOL BURNER

Net Zero fireplace with the BEV Technology®

## BEST BUILD QUALITY

requirements.

A fireplace with two open sides for even more visible flames. Installed in the end of the wall, it

creates the natural draw into the room.

### PROTECTIVE DEFLECTOR

With the attached deflector you can cover the fireplace housing with combustible materials.

TRUE ZERO CLEARANCE

The product passed extensive tests carried out by the leading certification institutes. It is manufactured

according to UL standards and is O-TL certified,

meeting the most demanding safety and quality

The feature that allows you install the fireplace in a housing construction made of combustible materials

### INTEGRATED CONTROL PANEL

The FLA3 burner has an intuitive control panel and an inlet for automatic refuelling.

#### **AUTOMATIC FLA3 BURNER**

The automatic burner with the patented BEV Technology® is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is produced by combusting ethanol vapors and has no direct contact with the liquid fuel.

## **REMOTE CONTROL**

Control the fire with the included remote, app on your smartphone or home automation system.

### TECHNICAL GLASS PANEL

The dedictaed toughened glass plate covers the flame making it stable and even.

All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inoccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. disclaims any and all liability arising out of the application or use of any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o. Customers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.



# Forma 1000 Right Corner

Burner model	FLA3 790mm (BEV Technology®)
Fuel tank capacity	4.3 L
Maximum burn time	9 hours
Maximum heat output	4.4 kW
Minimum room cubature	44 m³
Flame height regulation	6 stages
Weight	62.8 kg
Fuel type	bioethanol 95 - 96,6%
Flue	not required
Air change rate	1 space volume per hour
Power supply	230 V
Finish	black powder coating
Materials	steel, galvanized steel, toughened glass
Application	for indoor use only

#### **CONTROL OPTIONS**







included

included


optional

'FLA3 NET-ZERO' APP

Control the fire with your smartphone!








optional tray with 1 ceramic log (installed on the top of the burner, behind the fire line)

O-TL certified



Manufactured to UL standards



All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. disclaims any and all liability arising out of the application or use of any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o. carried by this document or by any conduct of Planika Sp. z o.o. carried by this document or by any conduct of Planika Sp. z o.o. carried by this document or by any conduct of Planika Sp. z o.o. carried by this document or by any conduct of Planika Sp. z o.o. carried by this document or by any conduct of Planika Sp. z o.o. carried by this document or by any conduct of Planika Sp. z o.o. carried by this document or by any conduct of Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.



# FORMA 1000 THREE-SIDED

# WITH FLA3 790 AUTOMATIC ETHANOL BURNER

Net Zero fireplace with the BEV Technology®

## BEST BUILD QUALITY

The product passed extensive tests carried out by the leading certification institutes. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.

#### TRUE ZERO CLEARANCE

The feature that allows you install the fireplace in a housing construction made of combustible materials.

## THREE-SIDED FIREPLACE

The three-sided fireplace brings a true panoramic fire. Enjoy the widest flame from three different sides.

#### PROTECTIVE DEFLECTOR

With the attached deflector you can cover the fireplace housing with combustible materials.

### INTEGRATED CONTROL PANEL

The FLA3 burner has an intuitive control panel and an inlet for automatic refuelling.

## **AUTOMATIC FLA3 BURNER**

The automatic burner with the patented BEV Technology® is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is produced by combusting ethanol vapors and has no direct contact with the liquid fuel.

## **REMOTE CONTROL**

Control the fire with the included remote, app on your smartphone or home automation system.

### TECHNICAL GLASS PANEL

The dedictaed toughened glass plate covers the flame making it stable and even.

All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inoccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. disclaims any and all liability arising out of the application or use of any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o. Customers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.



# Forma 1000 Three-Sided

Burner model	FLA3 790mm (BEV Technology®)
Fuel tank capacity	4.3 L
Maximum burn time	9 hours
Maximum heat output	4.4 kW
Minimum room cubature	44 m³
Flame height regulation	6 stages
Weight	60.4 kg
Fuel type	bioethanol 95 - 96,6%
Flue	not required
Air change rate	1 space volume per hour
Power supply	230 V
Finish	black powder coating
Materials	steel, galvanized steel, toughened glass
Application	for indoor use only

#### **CONTROL OPTIONS**







included

included

'FLA3 NET-ZERO' APP

Control the fire with your smartphone!








optional tray with 1 ceramic log (installed on the top of the burner, behind the fire line)

O-TL certified



Manufactured to UL standards





# **FORMA 1000 TUNNEL**

# WITH FLA3 790 AUTOMATIC ETHANOL BURNER

Net Zero fireplace with the BEV Technology®

## BEST BUILD QUALITY

#### **TUNNEL FIREPLACE**

The fireplace allows to keep the visual connection between spaces and provides natural flames in two rooms with only one fireplace.

#### PROTECTIVE DEFLECTOR

With the attached deflector you can cover the fireplace housing with combustible materials.

the leading certification institutes. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.

The product passed extensive tests carried out by

#### TRUE ZERO CLEARANCE

The feature that allows you install the fireplace in a housing construction made of combustible materials.

#### INTEGRATED CONTROL PANEL

The FLA3 burner has an intuitive control panel and an inlet for automatic refuelling.

## **AUTOMATIC FLA3 BURNER**

The automatic burner with the patented BEV Technology® is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is produced by combusting ethanol vapors and has no direct contact with the liquid fuel.

## **REMOTE CONTROL**

Control the fire with the included remote, app on your smartphone or home automation system.

#### **GLASS PANELS**

The dedictaed toughened glass panels cover the flame making it stable and even.

All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof, Planika Sp. z o.o., its affiliates, ogents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. This document does not expand or otherwise modify Planika Sp. z o.o. 's terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o. 'c sproducts not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.



# Forma 1000 Tunnel

Burner model	FLA3 790mm (BEV Technology®)
Fuel tank capacity	4.3 L
Maximum burn time	9 hours
Maximum heat output	4.4 kW
Minimum room cubature	44 m³
Flame height regulation	6 stages
Weight	62.9 kg
Fuel type	bioethanol 95 - 96,6%
Flue	not required
Air change rate	1 space volume per hour
Power supply	230 V
Finish	black powder coating
Materials	steel, galvanized steel, toughened glass
Application	for indoor use only

#### **CONTROL OPTIONS**







included

included


optional

#### 'FLA3 NET-ZERO' APP

Control the fire with your smartphone!








optional tray with 1 ceramic log (installed on the top of the burner, behind the fire line)

O-TL certified



Manufactured to UL standards





# FORMA 1000 ROOM DIVIDER

# WITH FLA3 790 AUTOMATIC ETHANOL BURNER

Net Zero fireplace with the BEV Technology®

## BEST BUILD QUALITY

The product passed extensive tests carried out by the leading certification institutes. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.

#### TRUE ZERO CLEARANCE

The feature that allows you install the fireplace in a housing construction made of combustible materials.

#### PENINSULA FIREPLACE

A unique showstopper for contemporary living rooms or any other open concept interior. The peninsula fireplace breaks up the interior, creating two separate spaces with one fireplace.

#### PROTECTIVE DEFLECTOR

With the attached deflector you can cover the fireplace housing with combustible materials.

# INTEGRATED CONTROL PANEL

The FLA3 burner has an intuitive control panel and an inlet for automatic refuelling.

## **AUTOMATIC FLA3 BURNER**

The automatic burner with the patented BEV Technology® is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is produced by combusting ethanol vapors and has no direct contact with the liquid fuel.

## **REMOTE CONTROL**

Control the fire with the included remote, app on your smartphone or home automation system.

#### **GLASS PANELS**

The dedictaed toughened glass panels cover the flame making it stable and even.

All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof, Planika Sp. z o.o., its affiliates, ogents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. This document does not expand or otherwise modify Planika Sp. z o.o. 's terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o. 'c sproducts not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.



# Forma 1000 Room Divider

Burner model	FLA3 790mm (BEV Technology®)
Fuel tank capacity	4.3 L
Maximum burn time	9 hours
Maximum heat output	4.4 kW
Minimum room cubature	44 m³
Flame height regulation	6 stages
Weight	60.5 kg
Fuel type	bioethanol 95 - 96,6%
Flue	not required
Air change rate	1 space volume per hour
Power supply	230 V
Finish	black powder coating
Materials	steel, galvanized steel, toughened glass
Application	for indoor use only

#### **CONTROL OPTIONS**







included


optional

#### 'FLA3 NET-ZERO' APP

Control the fire with your smartphone!








optional tray with 1 ceramic log (installed on the top of the burner, behind the fire line)

O-TL certified



Manufactured to UL standards





# **FORMA 1000 ISLAND**

# WITH FLA3 790 AUTOMATIC ETHANOL BURNER

Net Zero fireplace with the BEV Technology®

## BEST BUILD QUALITY

requirements.

ISLAND FIREPLACE

A unique showstopper for contemporary living rooms or any other open concept interior. The four-sided fireplace gives you an unobstructed view of the flame from every angle.

# TRUE ZERO CLEARANCE

meeting the most demanding safety and quality

The product passed extensive tests carried out by

the leading certification institutes. It is manufactured according to UL standards and is O-TL certified,

The feature that allows you install the fireplace in a housing construction made of combustible materials.

#### PROTECTIVE DEFLECTOR

With the attached deflector you can cover the fireplace housing with combustible materials.



#### INTEGRATED CONTROL PANEL

The FLA3 burner has an intuitive control panel and an inlet for automatic refuelling.

#### **REMOTE CONTROL**

Control the fire with the included remote, app on your smartphone or home automation system.

#### **GLASS PANELS**

The dedictaed toughened glass panels cover the flame making it stable and even.

#### **AUTOMATIC FLA3 BURNER**

The automatic burner with the patented BEV Technology® is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is produced by combusting ethanol vapors and has no direct contact with the liquid fuel.

All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.



# Forma 1000 Island

Burner model	FLA3 790mm (BEV Technology®)
Fuel tank capacity	4.3 L
Maximum burn time	9 hours
Maximum heat output	4.4 kW
Minimum room cubature	44 m³
Flame height regulation	6 stages
Weight	58.5 kg
Fuel type	bioethanol 95 - 96,6%
Flue	not required
Air change rate	1 space volume per hour
Power supply	230 V
Finish	black powder coating
Materials	steel, galvanized steel, toughened glass
Application	for indoor use only

#### **CONTROL OPTIONS**







included

optional

#### 'FLA3 NET-ZERO' APP

Control the fire with your smartphone!







optional tray with 1 ceramic log (installed on the top of the burner, behind the fire line)

O-TL certified



#### Manufactured to UL standards

