

FORMA 1500 SINGLE-SIDED

WITH FLA3+ 1190 AUTOMATIC ETHANOL BURNER

Net Zero fireplace with the BEV Technology®



BEST BUILD QUALITY

the leading certification institutes. It is manufactured according to UL standards and is O-TL certified, SINGLE-SIDED FIRE VIEW meeting the most demanding safety and quality

requirements.

The classic fireplace design that delivers the most elegant panoramic view of the flame.

TRUE ZERO CLEARANCE

The feature that allows you install the fireplace in a housing construction made of combustible materials.

The product passed extensive tests carried out by

PROTECTIVE DEFLECTOR

With the attached deflector you can cover the fireplace housing with combustible materials.



INTEGRATED CONTROL PANEL

The FLA3+ burner has an intuitive control panel and an inlet for automatic refuelling.

REMOTE CONTROL

Control the fire with the included remote, app on your smartphone or home automation system.

TECHNICAL GLASS PANEL

The dedictaed toughened glass plate covers the flame making it stable and even.

AUTOMATIC FLA3+ BURNER

The automatic burner with the patented BEV Technology[®] is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is produced by combusting ethanol vapors and has no direct contact with the liquid fuel.

All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. disclaims any and all liability arising out of the application or use of any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estopped or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z a.o.. Customers using or selling Planika Sp. z a.o. 's products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z a.o. for any damages arising or resulting from such use or sale. The images are indicative only.



Forma 1500 Single-Sided

Burner model	FLA3+ 1190 (BEV Technology®)
Fuel tank capacity	21.0 L
Maximum burn time	35 hours
Maximum heat output	9.4 kW
Minimum room cubature	94 m³
Flame height regulation	6 stages
Weight	100.8 kg
Fuel type	bioethanol 95 - 96,6%
Flue	not required
Air change rate	1 space volume per hour
Power supply	230 V
Finish	black powder coating
Materials	steel, galvanized steel, toughened glass
Application	for indoor use only

CONTROL OPTIONS







included

included

'FLA3 NET-ZERO' APP








optional tray with 2 ceramic logs or white stones (installed on the top of the burner, behind the fire line)





Manufactured to UL standards





FORMA 1500 LEFT CORNER

WITH FLA3+ 1190 AUTOMATIC ETHANOL BURNER

Net Zero fireplace with the BEV Technology®



BEST BUILD QUALITY

LEFT CORNER FIREPLACE

A fireplace with two open sides for even more visible flames. Installed in the end of the wall, it creates the natural draw into the room.

PROTECTIVE DEFLECTOR

With the attached deflector you can cover the fireplace housing with combustible materials.

The product passed extensive tests carried out by the leading certification institutes. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.

TRUE ZERO CLEARANCE

The feature that allows you install the fireplace in a housing construction made of combustible materials.



The FLA3+ burner has an intuitive control panel and an inlet for automatic refuelling.

REMOTE CONTROL

Control the fire with the included remote, app on your smartphone or home automation system.

TECHNICAL GLASS PANEL

The dedictaed toughened glass plate covers the flame making it stable and even.

AUTOMATIC FLA3+ BURNER

The automatic burner with the patented BEV Technology® is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is produced by combusting ethanol vapors and has no direct contact with the liquid fuel.

All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.



Forma 1500 Left Corner

Burner model FLA3+ 1190 (BEV Technology®) Fuel tank capacity 21.0 L Maximum burn time 35 hours Maximum heat output 9.4 kW Minimum room cubature 94 m³ Flame height regulation 6 stages Weight 98.4 kg Fuel type bioethanol 95 - 96,6% Flue not required Air change rate 1 space volume per hour Power supply 230 V		
Maximum burn time 35 hours Maximum heat output 9.4 kW Minimum room cubature 94 m³ Flame height regulation 6 stages Weight 98.4 kg Fuel type bioethanol 95 - 96,6% Flue not required Air change rate 1 space volume per hour	Burner model	FLA3+ 1190 (BEV Technology®)
Maximum heat output 9.4 kW Minimum room cubature 94 m³ Flame height regulation 6 stages Weight 98.4 kg Fuel type bioethanol 95 - 96,6% Flue not required Air change rate 1 space volume per hour	Fuel tank capacity	21.0 L
Minimum room cubature 94 m³ Flame height regulation 6 stages Weight 98.4 kg Fuel type bioethanol 95 - 96,6% Flue not required Air change rate 1 space volume per hour	Maximum burn time	35 hours
Flame height regulation 6 stages Weight 98.4 kg Fuel type bioethanol 95 - 96,6% Flue not required Air change rate 1 space volume per hour	Maximum heat output	9.4 kW
Weight 98.4 kg Fuel type bioethanol 95 - 96,6% Flue not required Air change rate 1 space volume per hour	Minimum room cubature	94 m³
Fuel type bioethanol 95 - 96,6% Flue not required Air change rate 1 space volume per hour	Flame height regulation	6 stages
Flue not required Air change rate 1 space volume per hour	Weight	98.4 kg
Air change rate 1 space volume per hour	Fuel type	bioethanol 95 - 96,6%
	Flue	not required
Power supply 230 V	Air change rate	1 space volume per hour
	Power supply	230 V
Finish black powder coating	Finish	black powder coating
Materials steel, galvanized steel, toughened glass	Materials	steel, galvanized steel, toughened glass
Application for indoor use only	Application	for indoor use only

CONTROL OPTIONS







included

included


optional

'FLA3 NET-ZERO' APP

Control the fire with your smartphone!








optional tray with 2 ceramic logs or white stones (installed on the top of the burner, behind the fire line)





Manufactured to UL standards





FORMA 1500 LEFT CORNER

WITH FLA3+ 1190 AUTOMATIC ETHANOL BURNER

Net Zero fireplace with the BEV Technology®



BEST BUILD QUALITY

LEFT CORNER FIREPLACE

A fireplace with two open sides for even more visible flames. Installed in the end of the wall, it creates the natural draw into the room.

PROTECTIVE DEFLECTOR

With the attached deflector you can cover the fireplace housing with combustible materials.

The product passed extensive tests carried out by the leading certification institutes. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.

TRUE ZERO CLEARANCE

The feature that allows you install the fireplace in a housing construction made of combustible materials.



The FLA3+ burner has an intuitive control panel and an inlet for automatic refuelling.

REMOTE CONTROL

Control the fire with the included remote, app on your smartphone or home automation system.

TECHNICAL GLASS PANEL

The dedictaed toughened glass plate covers the flame making it stable and even.

AUTOMATIC FLA3+ BURNER

The automatic burner with the patented BEV Technology® is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is produced by combusting ethanol vapors and has no direct contact with the liquid fuel.

All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.



Forma 1500 Left Corner

Burner model FLA3+ 1190 (BEV Technology®) Fuel tank capacity 21.0 L Maximum burn time 35 hours Maximum heat output 9.4 kW Minimum room cubature 94 m³ Flame height regulation 6 stages Weight 98.4 kg Fuel type bioethanol 95 - 96,6% Flue not required Air change rate 1 space volume per hour Power supply 230 V		
Maximum burn time 35 hours Maximum heat output 9.4 kW Minimum room cubature 94 m³ Flame height regulation 6 stages Weight 98.4 kg Fuel type bioethanol 95 - 96,6% Flue not required Air change rate 1 space volume per hour	Burner model	FLA3+ 1190 (BEV Technology®)
Maximum heat output 9.4 kW Minimum room cubature 94 m³ Flame height regulation 6 stages Weight 98.4 kg Fuel type bioethanol 95 - 96,6% Flue not required Air change rate 1 space volume per hour	Fuel tank capacity	21.0 L
Minimum room cubature 94 m³ Flame height regulation 6 stages Weight 98.4 kg Fuel type bioethanol 95 - 96,6% Flue not required Air change rate 1 space volume per hour	Maximum burn time	35 hours
Flame height regulation 6 stages Weight 98.4 kg Fuel type bioethanol 95 - 96,6% Flue not required Air change rate 1 space volume per hour	Maximum heat output	9.4 kW
Weight 98.4 kg Fuel type bioethanol 95 - 96,6% Flue not required Air change rate 1 space volume per hour	Minimum room cubature	94 m³
Fuel type bioethanol 95 - 96,6% Flue not required Air change rate 1 space volume per hour	Flame height regulation	6 stages
Flue not required Air change rate 1 space volume per hour	Weight	98.4 kg
Air change rate 1 space volume per hour	Fuel type	bioethanol 95 - 96,6%
	Flue	not required
Power supply 230 V	Air change rate	1 space volume per hour
	Power supply	230 V
Finish black powder coating	Finish	black powder coating
Materials steel, galvanized steel, toughened glass	Materials	steel, galvanized steel, toughened glass
Application for indoor use only	Application	for indoor use only

CONTROL OPTIONS







included

included


optional

'FLA3 NET-ZERO' APP

Control the fire with your smartphone!








optional tray with 2 ceramic logs or white stones (installed on the top of the burner, behind the fire line)





Manufactured to UL standards





FORMA 1500 THREE-SIDED

WITH FLA3+ 1190 AUTOMATIC ETHANOL BURNER

Net Zero fireplace with the BEV Technology®



BEST BUILD QUALITY

The product passed extensive tests carried out by the leading certification institutes. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.

TRUE ZERO CLEARANCE

The feature that allows you install the fireplace in a housing construction made of combustible materials.

THREE-SIDED FIREPLACE

The three-sdied fireplace brings a true panoramic fire. Enjoy the widest flame from three different sides.

PROTECTIVE DEFLECTOR

With the attached deflector you can cover the fireplace housing with combustible materials.



INTEGRATED CONTROL PANEL

The FLA3+ burner has an intuitive control panel and an inlet for automatic refuelling.

AUTOMATIC FLA3+ BURNER

The automatic burner with the patented BEV Technology® is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is produced by combusting ethanol vapors and has no direct contact with the liquid fuel.

REMOTE CONTROL

Control the fire with the included remote, app on your smartphone or home automation system.

TECHNICAL GLASS PANEL

The dedictaed toughened glass plate covers the flame making it stable and even.

All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof, Planika Sp. z o.o., its affiliates, ogents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. This document does not expand or otherwise modify Planika Sp. z o.o. 's terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o. 'c sproducts not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.



Forma 1500 Three-Sided

P. 11	FLAO: 1100 /PEVT P
Burner model	FLA3+ 1190 (BEV Technology®)
Fuel tank capacity	21.0 L
Maximum burn time	35 hours
Maximum heat output	9.4 kW
Minimum room cubature	94 m³
Flame height regulation	6 stages
Weight	95.9 kg
Fuel type	bioethanol 95 - 96,6%
Flue	not required
Air change rate	1 space volume per hour
Power supply	230 V
Finish	black powder coating
Materials	steel, galvanized steel, toughened glass
Application	for indoor use only

CONTROL OPTIONS







included

included

optional

'FLA3 NET-ZERO' APP

Control the fire with your smartphone!








optional tray with 2 ceramic logs or white stones (installed on the top of the burner, behind the fire line)

O-TL certified



Manufactured to UL standards





FORMA 1500 TUNNEL

WITH FLA3+ 1190 AUTOMATIC ETHANOL BURNER

Net Zero fireplace with the BEV Technology®

BEST BUILD QUALITY

SEE-THOUGH FIREPLACE

The fireplace allows to keep the visual connection between spaces and provides natural flames in two rooms with only one fireplace.

PROTECTIVE DEFLECTOR

With the attached deflector you can cover the fireplace housing with combustible materials.

The product passed extensive tests carried out by the leading certification institutes. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.

TRUE ZERO CLEARANCE

The feature that allows you install the fireplace in a housing construction made of combustible materials.

INTEGRATED CONTROL PANEL

The FLA3+ burner has an intuitive control panel and an inlet for automatic refuelling.

AUTOMATIC FLA3+ BURNER

The automatic burner with the patented BEV Technology® is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is produced by combusting ethanol vapors and has no direct contact with the liquid fuel.

REMOTE CONTROL

Control the fire with the included remote, app on your smartphone or home automation system.

GLASS PANELS

The dedictaed toughened glass panels cover the flame making it stable and even.

All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inoccuracies or incompleteness contained in any document or in any other disclosure relating to any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estopped or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o..'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.



Forma 1500 Tunnel

Burner model	FLA3+ 1190 (BEV Technology®)
	TEAS: 1170 BEV reclinology
Fuel tank capacity	21.0 L
Maximum burn time	35 hours
Maximum heat output	9.4 kW
Minimum room cubature	94 m³
Flame height regulation	6 stages
Weight	97.4 kg
Fuel type	bioethanol 95 - 96,6%
Flue	not required
Air change rate	1 space volume per hour
Power supply	230 V
Finish	black powder coating
Materials	steel, galvanized steel, toughened glass
Application	for indoor use only

CONTROL OPTIONS







included

optional

'FLA3 NET-ZERO' APP

Control the fire with your smartphone!








optional tray with 2 ceramic logs or white stones (installed on the top of the burner, behind the fire line)

O-TL certified



Manufactured to UL standards





FORMA 1500 ROOM DIVIDER

WITH FLA3+ 1190 AUTOMATIC ETHANOL BURNER

Net Zero fireplace with the BEV Technology®

BEST BUILD QUALITY

TRUE ZERO CLEARANCE

requirements.

ROOM DIVIDER FIREPLACE

A unique showstopper for contemporary living rooms or any other open concept interior. The room divider fireplace breaks up the interior, creating

two separate spaces with one fireplace.

The feature that allows you install the fireplace in a housing construction made of combustible materials

The product passed extensive tests carried out by the leading certification institutes. It is manufactured

according to UL standards and is O-TL certified,

meeting the most demanding safety and quality

PROTECTIVE DEFLECTOR

With the attached deflector you can cover the fireplace housing with combustible materials.

INTEGRATED CONTROL PANEL

The FLA3+ burner has an intuitive control panel and an inlet for automatic refuelling.

REMOTE CONTROL

Control the fire with the included remote, app on your smartphone or home automation system.

GLASS PANELS

The dedictaed toughened glass panels cover the flame making it stable and even.

AUTOMATIC FLA3+ BURNER

The automatic burner with the patented BEV Technology® is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is produced by combusting ethanol vapors and has no direct contact with the liquid fuel.



Forma 1500 Room Divider

P. 11	FLAO: 1100 /PEVT P
Burner model	FLA3+ 1190 (BEV Technology®)
Fuel tank capacity	21.0 L
Maximum burn time	35 hours
Maximum heat output	9.4 kW
Minimum room cubature	94 m³
Flame height regulation	6 stages
Weight	95.1 kg
Fuel type	bioethanol 95 - 96,6%
Flue	not required
Air change rate	1 space volume per hour
Power supply	230 V
Finish	black powder coating
Materials	steel, galvanized steel, toughened glass
Application	for indoor use only

CONTROL OPTIONS







included

included


optional

'FLA3 NET-ZERO' APP

Control the fire with your smartphone!








optional tray with 2 ceramic logs or white stones (installed on the top of the burner, behind the fire line)

O-TL certified



Manufactured to UL standards





FORMA 1500 ISLAND

WITH FLA3+ 1190 AUTOMATIC ETHANOL BURNER

Net Zero fireplace with the BEV Technology®

BEST BUILD QUALITY

ISLAND FIREPLACE

A unique showstopper for contemporary living rooms or any other open concept interior. The four-sided fireplace gives you an unobstructed view of the flame from every angle.

PROTECTIVE DEFLECTOR

With the attached deflector you can cover the fireplace housing with combustible materials.

The product passed extensive tests carried out by the leading certification institutes. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.

TRUE ZERO CLEARANCE

The feature that allows you install the fireplace in a housing construction made of combustible materials.

INTEGRATED CONTROL PANEL

The FLA3+ burner has an intuitive control panel and an inlet for automatic refuelling.

AUTOMATIC FLA3+ BURNER

The automatic burner with the patented BEV Technology® is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is produced by combusting ethanol vapors and has no direct contact with the liquid fuel.

REMOTE CONTROL

Control the fire with the included remote, app on your smartphone or home automation system.

GLASS PANELS

The dedictaed toughened glass panels cover the flame making it stable and even.

All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inoccuracies or incompleteness contained in any document or in any other disclosure relating to any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estopped or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o. customers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.



Forma 1500 Island

Burner model	FLA3+ 1190 (BEV Technology®)
Fuel tank capacity	21.0 L
Maximum burn time	35 hours
Maximum heat output	9.4 kW
Minimum room cubature	94 m³
Flame height regulation	6 stages
Weight	93.1 kg
Fuel type	bioethanol 95 - 96,6%
Flue	not required
Air change rate	1 space volume per hour
Power supply	230 V
Finish	black powder coating
Materials	steel, galvanized steel, toughened glass
Application	for indoor use only

CONTROL OPTIONS







included

optional

'FLA3 NET-ZERO' APP

Control the fire with your smartphone!







optional tray with 2 ceramic logs or white stones (installed on the top of the burner, behind the fire line)





Manufactured to UL standards

