

FORMA 2300 SINGLE-SIDED

WITH FLA3 1990 AUTOMATIC ETHANOL BURNER

Net Zero fireplace with the BEV Technology[®]



BEST BUILD QUALITY

The product passed extensive tests carried out by the leading certification institutes. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.

SINGLE-SIDED FIRE VIEW

The classic fireplace design that delivers the most elegant panoramic view of the flame.

PROTECTIVE DEFLECTOR

With the attached deflector you can cover the fireplace housing with combustible materials.

TRUE ZERO CLEARANCE

The feature that allows you to install the fireplace in a housing construction made of combustible materials.



INTEGRATED CONTROL PANEL

The FLA3 burner has an intuitive control panel and an inlet for automatic refuelling.

AUTOMATIC FLA3 BURNER

The automatic burner with the patented BEV Technology[®] is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is produced by combusting ethanol vapors and has no direct contact with the liquid fuel.

REMOTE CONTROL

Control the fire with the included remote, app on your smartphone or home automation system.



TECHNICAL GLASS PANEL

The dedicated toughened glass plate covers the flame making it stable and even.

Forma 2300 Single-Sided

| | |
|-------------------------|------------------------------------------|
| Burner model | FLA3 1990 (BEV Technology®) |
| Fuel tank capacity | 11.7 L |
| Maximum burn time | 12 hours |
| Maximum heat output | 18.0 kW |
| Minimum room cubature | 180 m ³ |
| Flame height regulation | 6 stages |
| Weight | 139.7 kg |
| Fuel type | bioethanol 95 - 96,6% |
| Flue | not required |
| Air change rate | 1 space volume per hour |
| Power supply | 230 V |
| Finish | black powder coating |
| Materials | steel, galvanized steel, toughened glass |
| Application | for indoor use only |

CONTROL OPTIONS



included




included



optional

'FLA3 NET-ZERO' APP


Control the fire with your smartphone!



optional tray with 4 ceramic logs or white stones
(installed on the top of the burner, behind the fire line)

O-TL certified 

Manufactured to UL standards



FORMA 2300 LEFT CORNER

WITH FLA3 1990 AUTOMATIC ETHANOL BURNER

Net Zero fireplace with the BEV Technology[®]



BEST BUILD QUALITY

The product passed extensive tests carried out by the leading certification institutes. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.

LEFT CORNER FIREPLACE


A fireplace with two open sides for even more visible flames. Installed in the end of the wall, it creates the natural draw into the room.

PROTECTIVE DEFLECTOR

With the attached deflector you can cover the fireplace housing with combustible materials.

TRUE ZERO CLEARANCE

The feature that allows you install the fireplace in a housing construction made of combustible materials.



INTEGRATED CONTROL PANEL

The FLA3 burner has an intuitive control panel and an inlet for automatic refuelling.

AUTOMATIC FLA3 BURNER

The automatic burner with the patented BEV Technology[®] is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is produced by combusting ethanol vapors and has no direct contact with the liquid fuel.

REMOTE CONTROL

Control the fire with the included remote, app on your smartphone or home automation system.



TECHNICAL GLASS PANEL

The dedicated toughened glass plate covers the flame making it stable and even.

Forma 2300 Left Corner

| | |
|-------------------------|------------------------------------------|
| Burner model | FLA3 1990 (BEV Technology®) |
| Fuel tank capacity | 11.7 L |
| Maximum burn time | 12 hours |
| Maximum heat output | 18.0 kW |
| Minimum room cubature | 180 m ³ |
| Flame height regulation | 6 stages |
| Weight | 137.3 kg |
| Fuel type | bioethanol 95 - 96,6% |
| Flue | not required |
| Air change rate | 1 space volume per hour |
| Power supply | 230 V |
| Finish | black powder coating |
| Materials | steel, galvanized steel, toughened glass |
| Application | for indoor use only |

CONTROL OPTIONS



included




included



optional

'FLA3 NET-ZERO' APP


Control the fire with your smartphone!



optional tray with 4 ceramic logs or white stones
(installed on the top of the burner, behind the fire line)

O-TL certified 

Manufactured to UL standards



FORMA 2300 RIGHT CORNER

WITH FLA3 1990 AUTOMATIC ETHANOL BURNER

Net Zero fireplace with the BEV Technology®



BEST BUILD QUALITY

The product passed extensive tests carried out by the leading certification institutes. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.

RIGHT CORNER FIREPLACE

A fireplace with two open sides for even more visible flames. Installed in the end of the wall, it creates the natural draw into the room.

PROTECTIVE DEFLECTOR

With the attached deflector you can cover the fireplace housing with combustible materials.

TRUE ZERO CLEARANCE

The feature that allows you to install the fireplace in a housing construction made of combustible materials.



INTEGRATED CONTROL PANEL

The FLA3 burner has an intuitive control panel and an inlet for automatic refuelling.

AUTOMATIC FLA3 BURNER

The automatic burner with the patented BEV Technology® is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is produced by combusting ethanol vapors and has no direct contact with the liquid fuel.

REMOTE CONTROL

Control the fire with the included remote, app on your smartphone or home automation system.

TECHNICAL GLASS PANEL

The dedicated toughened glass plate covers the flame making it stable and even.

Forma 2300 Right Corner

| | |
|-------------------------|------------------------------------------|
| Burner model | FLA3 1990 (BEV Technology®) |
| Fuel tank capacity | 11.7 L |
| Maximum burn time | 12 hours |
| Maximum heat output | 18.0 kW |
| Minimum room cubature | 180 m ³ |
| Flame height regulation | 6 stages |
| Weight | 137.3 kg |
| Fuel type | bioethanol 95 - 96,6% |
| Flue | not required |
| Air change rate | 1 space volume per hour |
| Power supply | 230 V |
| Finish | black powder coating |
| Materials | steel, galvanized steel, toughened glass |
| Application | for indoor use only |

CONTROL OPTIONS



included




included



optional

'FLA3 NET-ZERO' APP


Control the fire with your smartphone!



optional tray with 4 ceramic logs or white stones
(installed on the top of the burner, behind the fire line)

O-TL certified 

Manufactured to UL standards



FORMA 2300 THREE-SIDED

WITH FLA3 1990 AUTOMATIC ETHANOL BURNER

Net Zero fireplace with the BEV Technology®



BEST BUILD QUALITY

The product passed extensive tests carried out by the leading certification institutes. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.

THREE-SIDED FIREPLACE


The three-sided fireplace brings a true panoramic fire. Enjoy the widest flame from three different sides.

PROTECTIVE DEFLECTOR

With the attached deflector you can cover the fireplace housing with combustible materials.

TRUE ZERO CLEARANCE

The feature that allows you to install the fireplace in a housing construction made of combustible materials.



INTEGRATED CONTROL PANEL

The FLA3 burner has an intuitive control panel and an inlet for automatic refuelling.

AUTOMATIC FLA3 BURNER

The automatic burner with the patented BEV Technology® is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is produced by combusting ethanol vapors and has no direct contact with the liquid fuel.

REMOTE CONTROL

Control the fire with the included remote, app on your smartphone or home automation system.

TECHNICAL GLASS PANEL

The dedicated toughened glass plate covers the flame making it stable and even.

Forma 2300 Three-Sided

| | |
|-------------------------|------------------------------------------|
| Burner model | FLA3 1990 (BEV Technology®) |
| Fuel tank capacity | 11.7 L |
| Maximum burn time | 12 hours |
| Maximum heat output | 18.0 kW |
| Minimum room cubature | 180 m ³ |
| Flame height regulation | 6 stages |
| Weight | 134.8 kg |
| Fuel type | bioethanol 95 - 96,6% |
| Flue | not required |
| Air change rate | 1 space volume per hour |
| Power supply | 230 V |
| Finish | black powder coating |
| Materials | steel, galvanized steel, toughened glass |
| Application | for indoor use only |

CONTROL OPTIONS



included




included



optional

'FLA3 NET-ZERO' APP


Control the fire with your smartphone!



optional tray with 4 ceramic logs or white stones
(installed on the top of the burner, behind the fire line)

O-TL certified 

Manufactured to UL standards



FORMA 2300 TUNNEL

WITH FLA3 1990 AUTOMATIC ETHANOL BURNER

Net Zero fireplace with the BEV Technology[®]



BEST BUILD QUALITY

The product passed extensive tests carried out by the leading certification institutes. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.

TUNNEL FIREPLACE

The fireplace allows to keep the visual connection between spaces and provides natural flames in two rooms with only one fireplace.

PROTECTIVE DEFLECTOR

With the attached deflector you can cover the fireplace housing with combustible materials.

TRUE ZERO CLEARANCE

The feature that allows you install the fireplace in a housing construction made of combustible materials.



INTEGRATED CONTROL PANEL

The FLA3 burner has an intuitive control panel and an inlet for automatic refuelling.

AUTOMATIC FLA3 BURNER

The automatic burner with the patented BEV Technology[®] is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is produced by combusting ethanol vapors and has no direct contact with the liquid fuel.

REMOTE CONTROL

Control the fire with the included remote, app on your smartphone or home automation system.



GLASS PANELS

The dedicated toughened glass panels cover the flame making it stable and even.

Forma 2300 Tunnel

| | |
|-------------------------|------------------------------------------|
| Burner model | FLA3 1990 (BEV Technology®) |
| Fuel tank capacity | 11.7 L |
| Maximum burn time | 12 hours |
| Maximum heat output | 18.0 kW |
| Minimum room cubature | 180 m ³ |
| Flame height regulation | 6 stages |
| Weight | 134.6 kg |
| Fuel type | bioethanol 95 - 96,6% |
| Flue | not required |
| Air change rate | 1 space volume per hour |
| Power supply | 230 V |
| Finish | black powder coating |
| Materials | steel, galvanized steel, toughened glass |
| Application | for indoor use only |

CONTROL OPTIONS



included




included



optional

'FLA3 NET-ZERO' APP


Control the fire with your smartphone!



optional tray with 4 ceramic logs or white stones
(installed on the top of the burner, behind the fire line)

O-TL certified

Manufactured to UL standards



FORMA 2300 ROOM DIVIDER WITH FLA3 1990 AUTOMATIC ETHANOL BURNER

Net Zero fireplace with the BEV Technology[®]



BEST BUILD QUALITY

The product passed extensive tests carried out by the leading certification institutes. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.

PENINSULA FIREPLACE

A unique showstopper for contemporary living rooms or any other open concept interior. The peninsula fireplace breaks up the interior, creating two separate spaces with one fireplace.

PROTECTIVE DEFLECTOR

With the attached deflector you can cover the fireplace housing with combustible materials.

TRUE ZERO CLEARANCE

The feature that allows you to install the fireplace in a housing construction made of combustible materials.



INTEGRATED CONTROL PANEL

The FLA3 burner has an intuitive control panel and an inlet for automatic refuelling.

AUTOMATIC FLA3 BURNER

The automatic burner with the patented BEV Technology[®] is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is produced by combusting ethanol vapors and has no direct contact with the liquid fuel.

REMOTE CONTROL

Control the fire with the included remote, app on your smartphone or home automation system.



GLASS PANELS

The dedicated toughened glass panels cover the flame making it stable and even.

Forma 2300 Room Divider

| | |
|-------------------------|------------------------------------------|
| Burner model | FLA3 1990 (BEV Technology®) |
| Fuel tank capacity | 11.7 L |
| Maximum burn time | 12 hours |
| Maximum heat output | 18.0 kW |
| Minimum room cubature | 180 m ³ |
| Flame height regulation | 6 stages |
| Weight | 132.2 kg |
| Fuel type | bioethanol 95 - 96,6% |
| Flue | not required |
| Air change rate | 1 space volume per hour |
| Power supply | 230 V |
| Finish | black powder coating |
| Materials | steel, galvanized steel, toughened glass |
| Application | for indoor use only |

CONTROL OPTIONS



included




included



optional

'FLA3 NET-ZERO' APP


Control the fire with your smartphone!



optional tray with 4 ceramic logs or white stones
(installed on the top of the burner, behind the fire line)

O-TL certified 

Manufactured to UL standards



All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. disclaims any and all liability arising out of the application or use of any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o.. Customers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.

FORMA 2300 ISLAND

WITH FLA3 1990 AUTOMATIC ETHANOL BURNER

Net Zero fireplace with the BEV Technology®



BEST BUILD QUALITY

The product passed extensive tests carried out by the leading certification institutes. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.

ISLAND FIREPLACE


A unique showstopper for contemporary living rooms or any other open concept interior. The four-sided fireplace gives you an unobstructed view of the flame from every angle.

PROTECTIVE DEFLECTOR

With the attached deflector you can cover the fireplace housing with combustible materials.

TRUE ZERO CLEARANCE

The feature that allows you install the fireplace in a housing construction made of combustible materials.



INTEGRATED CONTROL PANEL

The FLA3 burner has an intuitive control panel and an inlet for automatic refuelling.

AUTOMATIC FLA3 BURNER

The automatic burner with the patented BEV Technology® is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is produced by combusting ethanol vapors and has no direct contact with the liquid fuel.

REMOTE CONTROL

Control the fire with the included remote, app on your smartphone or home automation system.



GLASS PANELS

The dedicated toughened glass panels cover the flame making it stable and even.

Forma 2300 Island

| | |
|-------------------------|------------------------------------------|
| Burner model | FLA3 1990 (BEV Technology®) |
| Fuel tank capacity | 11.7 L |
| Maximum burn time | 12 hours |
| Maximum heat output | 18.0 kW |
| Minimum room cubature | 180 m ³ |
| Flame height regulation | 6 stages |
| Weight | 130.2 kg |
| Fuel type | bioethanol 95 - 96,6% |
| Flue | not required |
| Air change rate | 1 space volume per hour |
| Power supply | 230 V |
| Finish | black powder coating |
| Materials | steel, galvanized steel, toughened glass |
| Application | for indoor use only |

CONTROL OPTIONS



included




included



optional

'FLA3 NET-ZERO' APP


Control the fire with your smartphone!



optional tray with 4 ceramic logs or white stones
(installed on the top of the burner, behind the fire line)

O-TL certified 

Manufactured to UL standards



All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. disclaims any and all liability arising out of the application or use of any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o.. Customers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.